WATER WELL REPORT

33/01-01

Application No

File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy Permit No G1-2394 3 STATE OF WASHINGTON (1) OWNER: Name Bob Walfe Address 2061 CENTER ME NE 4 Sec / T. 33 N. R. 7 E W.M. (2) LOCATION OF WELL: County \SLAND SW NE Bearing and distance from section or subdivision corner (10) WELL LOG: (3) PROPOSED USE: Domestic Industrial

Municipal Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. Irrigation [Test Well [Other (4) TYPE OF WORK: Owner's number of well (if more than one).... FROM MATERIAL TO Dug | Bored | Cable | Driven | New well Method: Dug PAN <u>37</u> GRAVELY HACK Deepened 55 CIAY (GRAY) 34 Rotary | Jetted | Reconditioned [62 CIAY 55 SANDY Diameter of well (5) DIMENSIONS: 62 90 DIRTY DRY SAND inches. Drilled 20 5 ft. Depth of completed well 20 5 ft. 70 115 SAND - GRAVEL MIX 115 140 DIRTY SAND (6) CONSTRUCTION DETAILS: GRAVEL - SAND MOSTLY GRAVEL 160 140 Casing installed: 6 "Diam from 9 n. to 200 1- n. 1,60 185 Threaded [] 205 WATER IN GRAVEL MIX 105 Welded P 20. CIAY Perforations: Yes 🗆 No 🗗 Type of perforator used..... SIZE of perforations in, by in. perforations from ft. to _____ ft. perforations from ft. to ft. perforations from ft. to ft. Screens: Yes No 🗆 Manufacturer's Name Johnson Type S [A: N L GS 3 Model No.

Diam O Slot size 1 8 from 2 to ft. to 2 5 ft. Diam. Slot size from ft. to ft. Surface seal: Yes (No D To what depth? 20 + ft.

Material used in seal BENTO NATE Did any strata contain unusable water? Yes 🗆 Type of water?..... Depth of strata..... Method of sealing strata off.... 280-300 (7) PUMP: Manufacturer's Name..... Туре: Н.Р..... (8) WATER LEVELS: Land-surface elevation above mean sea level. Static level 184 st. below top of well Date Sade 19 Artesian pressurelbs. per square inch Date..... Artesian water is controlled by..... (Cap, valve, etc.) Drawdown is amount water level is lowered below static level (9) WELL TESTS: Work started..... Was a pump test made? Yes 🗌 No 🗋 If yes, by whom?...... WELL DRILLER'S STATEMENT: Yield: gal./min. with ft. drawdown after hrs. This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) NAME WHOBEY WELL DRILLERS
(Person, firm, or corporation) (Type or print) Water Level | Time Water Level | Time Address OAK HARBOL (Well Driller) [Signed].....A Bailer test 10 gal/min. with 10 - ft. drawdown after. 4 hrs. Artesian flow.....g.p.m. Date License No. 129 Date July 19 79



RECEIVED

Well Tagging Form

MAY 0 8 2019

Unique Well Tag No: BAA985WR-NWRO

	/ RECORD VERIFICATION (check ✓one)
V	Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you). If a well report is not available, please complete a "Water Well Report for an Existing Well" form. This form is available at Ecology's headquarters office. Do not use this form for wells that do not have a Water Well Report.
	ELL OWNERSHIP, IF DIFFERENT FROM WELL REPORT
First Na	ame: Loco Lobo Water Association 005350
Street A	Address: 4658 N. Park Acres Drive
	Oak Harbor & State: WA 98277
LO	CATION OF WELL, IF DIFFERENT FROM WELL REPORT
Well Ad	dress: Parcel 57650-00-00011-0 7658 N. Parktons
City:(Oak Hurbor County: Island
	33 N. R. / E W.M. Sec. / 5W 1/4 of the NE
	48 22 78/68 " e_122 = 37,286/4 "
Elevation	at land surface

SEE BACK SIDE OF PAGE...

WELL CHARACTERISTICS

Locatio	ean of We	ell ident Sty - to	tification	to well casing (In "log-house) neast end of pump house)
D E	C F	В G	A H	Scale 1:24,000 (1" = 2,000') Indicate the location of the well within the Section by drawing a dot at that point
M	L	K	J	SECTION
N COM	Р	Q	R	